

Kanters Acid Plus

Stress and water hygiene major influence on the animal

Stress problems play an important role, especially for young animals. Because of stress the gastric acid secretion in the stomach deteriorates which effects the protein digestion. This disturbs the intestinal flora.

Bacteriological contamination in drinking water is more common than people think. This problem can lead to intestinal upset or the animals can ingest pathogens.

Stress and bacteriological contamination may thus result in problems such as wet litter, diarrhea, poor feed conversion, animals staying behind and diseases.

Kanters Acid Plus

Kanters Acid Plus is a liquid drinking water supplement based on a synergistic mixture of organic acids. The organic acids have different properties. By the acidifying effect the growth of pathogenic bacteria, fungus and yeasts are inhibited. In addition, by a lower pH more enzymes are released in the gastrointestinal tract, which results in an enhanced protein digestion. Because of the enhanced protein digestion, there is an improved feed conversion, and there are fewer proteins available for bacterial growth. The result is a greatly reduced risk of disturbing the intestinal flora.

Kanters Acid Plus consists among others of formic acid, lactic acid and propionic acid. These acids are especially effective against Salmonella and E. coli and thus have a positive effect on the health of the animal. Researchers expect a lot from a combination of different organic acids as alternative for antimicrobial growth promoters. Organic acids do not have the negative side-effects such as antimicrobial resistance and pollution. Kanters Acid Plus can be used to improve intestinal flora in poultry. Finally Kanters Acid Plus improves the taste of drinking water via the lactic acid.



Please contact us for more information
Kanters Special Products BV

De Stater 32 - 5737 RV Lieshout

T: 0499 425 600 - F: 0499 425 610 - E: info@kanters.nl - www.kanters.nl



Kanters Acid Plus

Product properties

- ◆ Effective against pathogenic bacteria such as E. coli en Salmonella
- ◆ Applicable to optimize the intestinal flora
- ◆ Improves water quality by pH-reduction
- ◆ Stimulates protein digestion
- ◆ Improves technical result
- ◆ Prevents contamination of the drinking system



Dosage Advice

Kanters Acid Plus comes in liquid form and can be used in drinking. It is recommended to dose 0.5 to 1 liter Kanters Acid Plus 1000 liters of drinking water for at least 5 days. Depending on the circumstances, the dosage can be increased. The yield is then also determined by the pH-value of the drinking water.

It is advisable to clean the drinking system with Aqua-Clean® before you start Kanters Acid Plus. Kanters Acid Plus is available per 20 kg can, per 250 kg drum or per 1100 kg IBC.

Application

Kanters Acid Plus is applicable with broilers, layers and breeders. Kanters Acid Plus, thanks to the favorable effect on the intestinal flora and the preservative effect on the drinking water will provide support in the following situations:

- ◆ After use of antibiotics
- ◆ Drinking water purifier
- ◆ Growth problems
- ◆ Wet litter
- ◆ Stress problems
- ◆ Digestion problems

