



## Iodocleanse

### 28% Iodophor Content (2.8% Available Iodine)

#### Superior Virucidal Broad Spectrum Disinfectant.

- Rapid, unparalleled effectiveness against mixed infections
- Offers complete protection – no known resistant pathogens
- Powerful virucidal action
- Bactericidal against both gram-positive & gram-negative bacteria
- Effective against antibiotic-resistant bacterial strains
- Also Effective Against Fungi, Yeasts, Moulds, Protozoa, Nematodes
- Proven activity against several bacterial & fungal spores
- Non-tainting & odour-free at use dilutions
- Good detergent action
- Retains activity in the presence of organic soiling & hard water
- Non-corrosive & non-staining formulation with low user toxicity

## Application

- Agricultural & veterinary disinfection
- All livestock housing & farm buildings
- All aspects of poultry industry, including hatcheries
- Dairies & milking equipment
- Abattoirs & meat processing plants
- Canneries & bottling plants
- All food processing & preparation industries
- Disinfection of all equipment

**AL YAHAR VETERINARY L.L.C.**

Fax : 03 - 7848984  
 Mobile : 052-9789789,055-7729508  
 P.O. Box : 65245  
 Al Ain - U.A.E.

E-mail : yaharvet@emirates.net.ae

**شركة اليحر البيطرية ذ.م.م**

فاكس : ٠٣-٧٨٤٨٩٨٤  
 متحرك : ٠٥٥-٧٧٢٩٥٠٨ / ٠٥٢-٩٧٨٩٧٨٩  
 ص.ب. : ٦٥٢٤٥  
 العين - ا.ع.م.

بريد الكتروني : yaharvet@emirates.net.ae

**Direction of use**

Application	Use Dilution	Directions
General purpose disinfection of clean surfaces	1:500	20-25L/100m <sup>2</sup>
Floors, porous surfaces heavily soiled areas	1:250	Totally drench Using ~25L/100m <sup>2</sup>
Equipment, tanks, cages, feeders, drinkers	1:500	Allow at least 30 minutes and rinse
Foot and wheel dips	1:100	Replenish at least weekly
Aerial application - misting	1:300	1L/100m <sup>3</sup> Spray daily
Water system disinfection	1:250	Rinse after 30 minutes
Drinking water sanitisation	1:2500 - 1:3000	Depending on water quality

**Proven Effectiveness Against Viral Diseases**

Viral Disease	Use Dilution
Poultry Diseases (DEFRA Tested)	1:160
Swine Vesicular (DEFRA Tested)	1:650
Foot & Mouth (DEFRA Tested)	1:600



## Antimicrobial Efficacy

Iodocleanse passes European (BS EN1276) quantitative suspension test for the evaluation of bactericidal activity of chemical disinfectants and antiseptics used in food production, industrial, domestic and institutional areas at 1:600. At this dilution, the bacterial load can be reduced from 1,000,000 to <10 cells with only 5 min exposure for every one of 4 different problematic bacterial strains. Stringent test conditions (hard water and high level of organic contamination) apply.

## Specification

Composition	Blend of Iodophors, Detergents & Stabilisers
Appearance	Brown viscous liquid
Odour	Characteristic – typical of iodophors
Density	1.1 ± 0.1 (g/mL)
pH Value	3 ± 0.5 (1% sol)
Pack Size	5L, 25 L, 200 kg & 1000 kg IBC

The information contained in this data sheet is believed to be accurate, but customers are advised to ensure that the product is suitable for their own purpose before they use it.

